Rescan to replace previous T signed IPS Sheet 6 of 9

		2101110	<del></del>	
Substitute Form PTO-1449 U.S. Department of Commerce (Modified) Patent and Trademark Office		Attorney's Docket No. 18202-033US1/1051US	Application No. 09/463,542	
List of Patents and Publications for Applicant's Information Disclosure Statement			Applicant Johan Auwerx et al.	JUH 2 0 200
			Filing Date December 11, 2002	Group Art Unit 4 TRADEMAN
(37 CFR §1.5		ocuments (include Author,	<u> </u>	
Examiner	Desig.		Thio, Date, and Thate o	TT abilitation/
Initial ID		Document (C)		
WW	ЕН	Kliewer et al., "Differential expression and activation of a family of murine peroxisome proliferators-activated receptors," Proc. Natl. Acad. Sci. USA 91: 7355-7359 (1994)  Kliewer et al., "A prostaglandin J <sub>2</sub> metabolite binds peroxisome proliferators-activated receptor y		
	EI	and promotes adipocyte differentiation	n," Cell 83: 813-819 (1995)	erators-activated receptor y
_	EJ	Le Gal La Salle et al., Science 259.98	8 -	
	EK	Lambe, K.G. and J.D. Tugwood, "A liby inducers of adipogenesis, including	g thiazolidinedione drugs," Eur.	J. Biochem. 239: 1-7 (1996)
	EL	Lefebvre et al., "Regulation of lipopro distinct but complementary mechanist 17(9):1756-1764 (1997)	otein metabolism by thiazolidine m relative to fibrates," Arteriosc	diones occurs through a ler. Thromb. Vasc. Biol.
	EM	Le Gal La Salle et al., "An adenovirus Science 259: 988-990 (1993)		_
	EN	Lehmann et al., "An antidiabetic thiaz Proliferator-Activated Receptor y (PP	colidinedione is a high affinity li ARy)," J. Biol. Chem. 270: 129:	gand for Peroxisome 53-12956 (1995)
	EO	Leid et al., "Purification, cloning, and heterodimerizes to bind target sequent	RXR identity of the HeLa cell i	actor with which RAR or TR
	EP	Lemberger et al., "Expression of the p by stress and follows a diurnal rhythm	peroxisome proliferators-activate n," J. Biol. Chem. 271:1764-176	ed receptor α gene is stimulated 9 (1995)
	EQ	Lin F. and M.D. Lane, "Antisense CC gene expression and triglyceride accur Genes & Development 6:533-544 (19	mulation during differentiation of	RNA suppresses coordinate of 3T3-L1 preadipocytes,"
	ER	Mansén et al., "Expression of the percolonic mucosa," Biochem. Biophys.	oxisome proliferators-activated r	eceptor (PPAR) in the mouse
	ES	Marcus-Sekura, C.J., "Techniques for expression," Anal. Biochem. 172:289	using antisense oligodeoxyribo	nucleotides to study gene
	ЕТ	Miard et al., "Atypical transcriptional Metab. Disord. 29(Suppl 1):S10-S12 (	regulators and cofactors of PPA (2005)	•
	EU	Miller et al., "The adipocyte specific t expression," Proc. Natl. Acad. Sci. U.	ranscription factor C/EBPa mod S A. 93(11):5507-5511 (1996)	J
	EV	Miller et al., "Human gene therapy co	mes of age," Nature 357:455-46	0 (1992)
	EW	Moller, D. E., and J.S. Flier, "Insulin New England Journal of Medicine 32:	5: 938-948 (1991)	•
	EX	Mukherjee et al., "Identification, chara Proliferator-Activated Receptor (PPA) Retinoid X Receptor Agonists and An	R) isoforms PPARy2 versus PPA tagonists," J. Biol. Chem. 272: 8	ARy1 and activation with 8071-8076 (1997)
	EY	Mukherjee et al., "Human and rat perc similar tissue distribution to PPAR act	exisome proliferators activated relivators," J. Steroid Biochem. 51	eceptors (PPARs) demonstrate (3/4): 157-166 (1994)
	EZ	Mulligan, R.C., "The basic science of	gene therapy," Science 260:926	-931 (1993).
ΜM	FA	Nagy et al., "Oxidized LDL regulates	macrophage gene expression thr	ough ligand activation of

Examiner Signature WYWW Ch	Date Considered			
EVAMINED: Initial Maltetian considered whether and its time to be				
EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered, Include copy of this form with next communication to applicant.				

duplicate